

# Amazon Case Accessories

<b>Automatic Pressure Relief Valve (PRV)</b> <p>A two-way automatic pressure relief valve with manual override release push button enables equalization of the pressure inside and outside the container.</p> <p>AAPRV</p>  	<b>Gore® Membrane Vent</b> <p>A Gore® membrane vent allowing gradual equalization of internal and external pressure without ingress of dust or water.</p> <p>AAGTV</p>  	<b>Humidity Indicator</b> <p>Humidity indicator and replaceable desiccant container for effective humidity control during long-term storage.</p> <p>AAHI</p>  	<b>Padlockable Latches</b> <p>Both types of latch can be replaced with a padlockable latch which takes a padlock with a hasp diameter up to .35".</p> <p>AABTPL/BK</p>  
<b>Butterfly Latches</b> <p>Standard cam-operated butterfly latch.</p> <p>AAL/BK</p>  	<b>Injection Molded Handles</b> <p>The number of handles supplied with standard cases is shown in the size list. Additional injection molded handles can be fitted if required.</p> <p>AALPL/BK</p>  	<b>Lockable Toggle Latch</b> <p>Toggle latch with integrated lock.</p> <p>AALC236/BK</p>  	
<b>Steel Handles</b> <p>Black steel handles are available as an alternative to the injection molded handles supplied as standard.</p> <p>AAHSB/BK</p>  	<b>AAHPL/BK</b>  		

## Forklift Skids

Robust spacers used during the storage of cases and racks to facilitate access for forklift skids.

AAFS19-2/BK for AC3618-AC4818  
AAFS19-2-1W/BK for AC6018-AC10718  
AAFS24-2/BK for AC3624  
AAFS24-3/BK for AC4824  
AAFS29-2/BK for AC4830  
AAFS29-3/BK for AC6030  
AAFS29-4/BK for AC7130  
AAFS34-2/BK for AC4234  
AAFS34-3/BK for AC5134  
AAFS34-4/BK for AC6334



## Cables & Accessory Stowage Pouches

Zipped pouch that can be secured in place in both shallow and deep rack lids for the storage of cabling and leads. Cable pouches can be retro fitted by users without the use of tools.

Available on request



## Interstacker

Interstacker allows Amazon Racks to be stacked securely onto Amazon Cases. The same interstacker can be fitted with 4 x 4" / 100mm castors to provide secure location and movement of heavy loads up to 660lbs / 300kg.

AAINT610/BK



## Labels & Label Holders

Labeling options include engraved metal, back printed, non-scratch polycarbonate and write-on/wipe-off labels, and document holders.

AAWWLA5



AAA5DH



## Wheels & Wheelboards

Cases greater than 30" in length have provision for fitting optional 2.75" 'roller-blade' recessed wheels.

All racks can be fitted with two optional recessed wheels, housed in the deeper 5" lid. These robust wheels allow ease of handling with heavier loads and do not protrude beyond the external dimensions of the case or racks. They are designed to come into operation as the case or rack is tilted, but do not interfere with stacking or stowage. Two additional handles are provided on the front lid of racks fitted with wheels.

Wheel recess covers are also available.

AAINT24 W/BK



AAW001



AAWC/BK



# Amazon Case Applications

Certification and accreditations are available on request





### **Applications in**

- Maritime
- Offshore & Geophysical
- Aerospace
- Secure Telecommunications
- Satellite Uplinks